Appendix G

Figures

Chapter 1

- Figure 1-1Conflicting Concepts of KnowledgeFigure 1-2Knowledge and Information Sources
- Figure 1-3 How Knowledge should be provided
- Figure 1-4 The use of IT Systems

Figure 2.1-1	Knowledge Pyramid
Figure 2.1-2	Knowledge Staircase [North, 2002]
Figure 2.1-3	Types of Knowledge [Haun, 2002]

- Figure 2.2-1 Example of a Definitional Network (part)
- Figure 2.2-2 Example of RDF Graph
- Figure 2.2-3 Example of reification in a RDF Graph
- Figure 2.2-4 Example of RDF /XML
- Figure 2.2-5 Classes and Resources as Sets and Elements [Brickley & Guha, 1999]
- Figure 2.2-6 Class Hierarchy for the RDF Schema [Brickley & Guha, 1999]
- Figure 2.2-7 Example of a Topic Map
- Figure 2.2-8 Topics, Occurrences and Associations in Topic Maps
- Figure 2.2-9 Examples of Names in Topic Maps
- Figure 2.2-10 Example of Using Scopes in Topic Maps
- Figure 2.2-11 Overview of Search- and Retrieval-Methods
- Figure 2.2-12 Example of Expert Search
- Figure 2.2-13 The Case-Base Reasoning Cycle [Aamodt & Plaza, 1994]
- Figure 2.2-14 Comparing the Characteristics of the IR Models [Chu, 2003]

Figure 2.2-15	Example of a Tag Cloud and how to Edit a Tag for a Document
Figure 2.2-16	Methods of Knowledge Representation and their Actors
	[Stock & Stock, 2008]
Figure 2.3-1	Example of All integrated IT Systems in one search
Figure 2.3-2	Photo of a torque wrench [Wikipedia: torque wrench]
Figure 2.3-3	Elements of a KMS [Maier, 2002]
Figure 2.3-4	Knowledge Repository Layer Example
Figure 2.3-5	Visualisation Layer Example
Figure 2.3-6	Hierarchy of Search Methods in e:kms
Figure 2.3-7	Automatic Creation of Overview Map by Infocodec
Figure 2.3-8	Example of a Collection of Topic Networks
Figure 2.3-9	Example of a Collection of Concept Networks
Figure 2.3-10	Processing a Search in KnowledgeMiner
Figure 2.3-11.a	Comparison of the Four KMS
Figure 2.3-11.b	Comparison of the Four KMS (continued)

Figure 3.1-1	Standard Wiki vs. Semantic Wiki [Haller et al., 2006]
Figure 3.1-2	Trend from storage oriented up to collaboration oriented
	Knowledge Management
Figure 3.2-1	Focus of the Examined Exchange Platforms
Figure 3.2-2	Usability in Relation to the Number of Solution Methods of the
	Examined Exchange Platforms
Figure 3.2-3	User Motivation in Relation to Communication Type of the
	Examined Exchange Platforms
Figure 3.2-4	Overview of Modules Offered by the Examined Exchange Platforms
Figure 3.2-5	Possibilities for Search of Resources Offered by the Examined
	Platforms
Figure 3.2-6	Possibilities for Search of Experts Offered by the Examined Platforms

R.	Loew

Figure 3.3-1	Percentage of Attendees with Access to a Knowledge
	Management System
Figure 3.3-2	Age of Attendees
Figure 3.3-3	Class of Experiences of Attendees
Figure 3.3-4	Satisfaction with Used Knowledge Management System
Figure 3.3-5	Use of Knowledge Management System
Figure 3.3-6	Reasons Why Users do Not Use the Knowledge Management System
Figure 3.3-7	Analysis of the Question
	"How long will it take to find an answer by?"
Figure 3.3-8	Order of Actions a Employee Will Take to Solve a Problem
Figure 3.3-9	Valuation of Functionality of a Hypothetical
	Knowledge Management System
Figure 3.3-10	Sighted Search Results Before Break-Off in Average
Figure 3.4-1	Elements of Knowledge Management [Probst et al., 2000]
Figure 3.4-2	Knowledge Spiral [Nonaka & Takeuchi, 1995]
Figure 3.4-3	Instruments for Knowledge Transformation
	[Dombrowski & Kuper, 2004]
Figure 3.4-4	Simplified Business Processes of Traditional Knowledge Management
Figure 3.4-5	Transfer of Information and Knowledge [Maier, 2002]
Figure 3.5-1	Basic Conditions of Knowledge Management [Wolf, 1999]
Figure 3.5-2	Model for KM Enablers and Barriers
	[Anantatmula & Kanungo, 2007]
Figure 3.5-3	New Paradigm: Knowledge Communication

Figure 4.1-1	A user can search in the Knowledge Broker Portal
Figure 4.1-2	A user can ask an expert.
	A dialogue between the user and the expert starts.
Figure 4.1-3	Additionally the user can ask a personal Knowledge Broker.
Figure 4.1-4	The personal Knowledge Broker informs users about available
	documents and experts.
Figure 4.1-5	Establishing contact between asking user and expert.
Figure 4.1-6	Interaction Flow within the KBN Approach
Figure 4.2-1	Example Knowledge Network with Employee Structure
Figure 4.2-2	Example Knowledge Network with Employee Experiences
Figure 4.2-3	Automated integrated Documents within a Knowledge Network
Figure 4.2-4	Meta Structure for Company Hierarchies
Figure 4.3-1	Personalisation Concept based on hidden Nodes in the
	Enterprise Knowledge Network and added Nodes in
	Private Parts of the Knowledge Network
Figure 4.3-2	Personalisation Concept based on Rating Nodes and Links in the
	Enterprise Knowledge Network
Figure 4.3-3	KBN Portal: Search Results, Additional Hints and Rating of Results
Figure 4.4-1	Example of a Community of Practice
Figure 4.4-2	Calculation of Implicit User Relationships
Figure 4.5-1	Simplified Semantic Network for SAA Introduction
Figure 4.5-2	Simplified Table for SAA Introduction
Figure 4.5-3	SAA Example Network in a more abstract picture
Figure 4.5-4	SAA Example First Recommendation in a more abstract picture
Figure 4.5-5	Recommendation of KBN Knowledge Retrieval Example Algorithm
Figure 4.5-6	Complexity Reduction step of KBN Knowledge
	Retrieval Example Algorithm

Figure 4.5-7	User Interaction in KBN Knowledge Retrieval Example Algorithm
Figure 4.5-8	Final Recommendation of KBN Knowledge Retrieval Example
	Algorithm
Figure 4.5-9	Using more than the First Ranked Search Result
Figure 4.5-10	SAA using Rated Links
Figure 4.5-11	Meta-Links / Abstract Links
Figure 4.5-12	SAA using Rated Nodes
Figure 4.8-1	Connecting KMS Islands using the KB Network
Figure 4.9-1	Positioning of Information Boxes within the KBN Portal
Figure 4.9-2	KBN Portal: Login Dialogue
Figure 4.9-3	KBN Portal: Start Screen
Figure 4.9-4	KBN Portal: Sending a Request to the Personal Knowledge Broker
Figure 4.9-5	KBN Portal: Answer from an Expert
Figure 4.9-6	KBN Portal: Question of a Colleague to the User
Figure 4.9-7	KBN Portal: Answering the Request of an Colleague
	(asked in Figure 4.9-6)
Figure 4.9-8	KBN Portal: Confirming Saving and Sending of an Answer
	shown in Figure 4.9-7
Figure 4.9-9	KBN Portal: Example of a Search Result
Figure 4.9-10	KBN Portal: Example of Details of a Search Result and
	Additional Hints
Figure 4.9-11	KBN Portal: Sending an Internet Call
Figure 4.9-12	Portlets Displayed Within a Portlet Container [Reinbold, 2007]
Figure 4.9-13	KBN System Using a Portal to Separate Search and Communication
	Functionality
Figure 4.10-1	Example of a Method within a DLL
Figure 4.10-2	Implicit Binding of a DLL
Figure 4.10-3	Explicit Binding of a DLL
Figure 4.10-4	How Web Services, WSDL and UDDI work
Figure 4.10-5	Example for the Creation of a Dynamic JAVA Class

Figure 4.10-6	MVC Architecture used by Struts [Turner & Bedell, 2003b]
Figure 4.10-7	Prototype Directory Structure as Extension of
	Struts Directory Structure
Figure 4.10-8	The K-Infinity MVC Architecture
Figure 4.10-9	KPath Examples
Figure 4.10-10	SAA Protoype Use-Case
Figure 4.10-11	Adapted Variant of "Strategy" Design Pattern for SAA Infrastructure
Figure 4.10-12	Flowchart of Gathering and Validating of existing Algorithms
Figure 4.10-13	Source Code of the Method "getLabel"
Figure 4.10-14	Source Code of the Method "printHitList"
Figure 4.10-15	Source Code of the Method "hitListToXML"
Figure 4.10-16	Example SAA Result Coded in XML using the Method
	"hitListToXML" (upper part) and how it looks like in a Browser
	formatted with XSLT (lower part)
Figure 4.10-17	Signature of the Method "doKEMSearch"
Figure 4.10-18	Example for using the Method "doKEMSearch"
Figure 4.10-19	Signature of the Method"getSuperConcepts"
Figure 4.10-20	Working with KEM illustrated using Source Code Parts of
	"doKEMSearch"
Figure 4.10-21	Import of all KEM Interfaces
Figure 4.10-22	Part of a Knowledge Network for the SAA Test
Figure 4.10-23	Navigating through the Knowledge Network using K-Infinity
	Standard Search Methods
Figure 4.10-24	Hints (Recommendations) calculated by SAA after three
	User Interactions
Figure 4.12-1	Acceptance of Knowledge Broker

Figure 5.1-1	Geographical Oriented User Interface Example
Figure 5.1-2	Zooming Grid User Interface Example
Figure 5.1-3	Broker User Interface Example
Eigung 5.2.1	Demonsel Assistance Network Heine External External Services
Figure 5.2-1	Personal Assistance Network Using External Experts and Services
Figure 5.3-1	IBN Overview
Figure 5.3-2	Infobroker Directory LDAP Structure [Preuss, 2002]
Figure 5.3-3	Java Client Tool for Browsing and Searching the Infobroker Directory
	[Preuss, 2002]
Figure 5.3-4	Infobroker Workflow Flowchart
Figure 5.4-1	Distinguished Name (DN)
Figure 5.4-2	Example LDAP Directory Structure
Figure 5.4-3	Example LDAP Group
Figure 5.4-4	LDAP Class "top"
Figure 5.4-5	Private Enterprise Numbers for Use in Prototype
Figure 5.4-6	Pre-Defined LDAP Classes Chosen for Use by Infobroker Prototype
Figure 5.4-7	Definition of Private Class "cIndustry" for Use by Infobroker
	Prototype
Figure 5.4-8	Definition of Private Attribute "cSpeciality" and Private Class
	"cSpeciality" for Use by Infobroker Prototype
Figure 5.4-9	Attributes of the Infobroker Profile
Figure 5.4-10	Definition of the Attributes of the Infobroker Profile
Figure 5.4-11	Definition of the Class "cIBProfile"
Figure 5.4-12	DTD of "alBSkills"
Figure 5.4-13	Using Kerberos / SASL for Authentication

Figure 6-1 Trends changing from storage oriented KM to collaboration and communication oriented KM

Appendix B

Figure B.1-1	Example DTD
Figure B.1-2	Example XML Data
Figure B.1-3	Example XSL Style sheet
Figure B.1-4	Example Output Using Data of Figure B.1-2 and Style sheet
	of Figure B.1-3
Figure B.1-5	Example XSL Style sheet Using XPath Functionality
Figure B.1-6	Example Output Using Data of Figure B.1-2 and XPath Style sheet
	of Figure B.1-5
Figure B.1-7	Example URIs Using XPointer
Figure B.1-8	Example of Simple XLink
Figure B.1-9	Example of Extended XLink
Figure B.1-10	XLink Link Types [Jeckle, 2004]
Figure B.2-1	Topic Classes [Rath, 2003]
Figure B.2-2	Occurrence Classes [Rath, 2003]
Figure B.2-3	Association Classes [Rath, 2003]
Figure B.3-1	Example of depth-first search [Winston, 1993]
Figure B.3-2	Example of breadth-first search [Winston, 1993]
Figure B.3-3	Example of Hill-Climbing [Winston, 1993]
Figure B.3-4	Example of Beam-Search [Winston, 1993]

Appendix C

Figure C.1-1	Knowledge Management Applications in 2000 [Nohr, 2000]
Figure C.1-2	Purpose of Systems for Knowledge Management in 2000 [Nohr,2000]
Figure C.1-3	Size of participating companies in Nohr, 2000
Figure C.2-1	Knowledge Management Applications in 2001 [unicmind, 2001]
Figure C.3-1	Features Asked for in Knowledge Management Systems in 2001
	[Inst. f. e-Management 2001b/c]
Eiguro C 4 1	Localization of Knowledge [Ohla 2002]
Figure C.4-1	
Figure C.4-2	Knowledge Sources for Daily Work [Ohle, 2003]
Figure C.4-3	Size of participating companies in Ohle, 2003
Figure C.5-1	Used Knowledge Sources for KM [Koeder & Rohleder 2004]
Figure C.5.2	Used and Disconduct for the product of the design of the
Figure C.5-2	Used and Planned II Systems for KM in 15 Participating Companies
	[Koeder & Rohleder, 2004]
Figure C.6-1	Focus in KM [Linde, 2005]

Appendix D

Figure D-1.a	Functions of Examined Platforms in Details
Figure D-1.b	Functions of Examined Platforms in Details (continued)
Figure D-2	Search Functions and Result Types by Searching for
	Resources in Details
Figure D-3	Search Functions and Result Types by Searching for
	Experts in Details

Appendix E

Figure E-1	Icons to identify a Person or a Community
Figure E-2	Icons to identify a Colleague and the direction and
	status of the communication
Figure E-3	Icons to identify a Knowledge Broker and the direction and
	status of the communication
Figure E-4	Icons to identify myself and the direction and
	status of the communication

Appendix F

- Figure F-1.a Comparison of the Four KMS with KBN Concept
- Figure F-1.b Comparison of the Four KMS with KBN Concept (continued)